

# Alternative and Renewable Fuel and Vehicle Technology Program

Staff Workshop on Evaluation Criteria for Hydrogen Refueling Station Applications, Critical Milestones, and Data Collection

Charles Imbrecht Hearing Room
December 14, 2017



### **Agenda**

Welcome 10:00 a.m.

Application Evaluation Criteria and New Ideas

Team Qualifications; Coverage, Capacity and

Market Viability; Safety Planning; Readiness,

Operations and Maintenance; Budget;

Financial Plan 10:10 a.m.

Lunch Break 12:00 p.m.



### **Agenda**

Application Evaluation Criteria, continued

Station Performance; Economic Social;

Disadvantaged Communities; Innovation;

Renewable Hydrogen Content; Sustainability;

Environmental 1:00 p.m.

Critical Milestones 2:30 p.m.

Data Collection 2:45 p.m.

Renewable Hydrogen Reporting 3:00 p.m.

Application Submittals 3:15 p.m.

Public Discussion 3:30 p.m.

Adjourn 4:00 p.m.



### Welcome

- Facilities and Logistics
- In case of emergency
- Diversity Survey
  - https://www.surveymonkey.com/r/99LQX27



### **Commitment to Diversity**

The Energy Commission adopted a resolution on April 8, 2015, to firmly commit to:

- Increase participation of women, minority, disabled veteran and LGBT business enterprises in program funding opportunities.
- Increase outreach and participation by disadvantaged communities.
- Increase diversity in participation at Energy Commission proceedings.
- Increase diversity in employment and promotional opportunities.



### **Commitment to Diversity**

- **Fairness** Increase funding accessibility to all Californians.
- **Inclusion** Small businesses make up a significant portion of the U.S. economy.
- **Job Creation** Projects can create jobs for residents of the under-served communities.
- **Diversity of Ideas** Great ideas occur in a variety of areas.
- **Diversity in Communities' Needs** Needs vary widely from one area to the next (air quality, socioeconomic, etc.).



### **Workshop Purpose**

- To provide a forum to discuss the evaluation criteria for applications to hydrogen refueling station solicitations.
- To discuss critical milestones.
- To discuss data collection.



### Reminder

The discussions during this workshop are for possible future solicitation concepts and no applications are being accepted at this time.



### **GFO 15-605 Evaluation Criteria**

### Phil Cazel



### Points List (GFO-15-605)

	/
Evaluation Criteria	Possible Points
Qualifications of the Applicant/Project Team	60
Coverage, Capacity, and Market Viability	100
Safety Planning	40
Project Readiness	40
Station Operation and Maintenance	40
Project Budget	25
Financial Plan	15
Hydrogen Refueling Station Performance	60
Economic and Social Benefits	20
Innovation	20
Renewable Hydrogen Content	30
Renewable Hydrogen from Direct Sources	30
Sustainability and Environmental Impacts	20
To	otal Points 500



# Qualifications of Applicant/Project Team 60 total possible points

- Demonstrates ability to implement the proposed project.
- Has experience and expertise working with hydrogen refueling technology or other gaseous fuels.
- Demonstrates ability to adequately account for and control costs.



# Qualifications of Applicant/Project Team

- Demonstrates project management experience including the ability to effectively manage and work with contractors and subcontractors.
- Demonstrates experience working with commercial real estate acquisition, rental, and leasing.



# Qualifications of Applicant/Project Team

 Demonstrates experience in supply chain logistics, including recycling and reuse, on the part of at least one team member.



# Qualifications of Applicant/Project Team

- Demonstrated acceptable past performance with California Energy Commission grants or contracts, if the Applicant worked on such projects, including:
  - Adherence to schedule and due dates for Critical Milestones.
  - Effective and timely issue resolution, especially when Critical Milestones were not met.
  - Honest, timely, and professional communication with Energy Commission staff.
  - Effective coordination with project partners, subcontractors, and other stakeholders.
  - Timely and accurate invoicing.



# Coverage, Capacity, and Market Viability 100 total possible points

- The proposed station location results in a high CHIT Station Coverage Value.
- The proposed station capacity results in a high CHIT Station Capacity Value.
- The proposed station provides refueling service that meets the hydrogen refueling needs for the projected vehicle demand (light duty vehicle traffic count and patterns).



# Coverage, Capacity, and Market Viability

- The proposed station provides redundancy and back-up in a location needing fueling capacity.
- The proposed station provides refueling service for local fleets, as practicable.

# Coverage, Capacity, and Market Viability

- The proposed station provides refueling service that is available during peak fueling periods for light duty vehicles passing the station (daily, weekly, or during other time periods) and the peak fueling periods for the location do not conflict with timeframes allowed by local ordinances.
- The proposed station meets the needs of a higher average number of fills over a 1- and 12-hour period.

# Coverage, Capacity, and Market Viability

 The proposed station provides refueling service for vehicles tested and deployed at automotive parts assembly, testing, distribution, and demonstration facilities.

# Coverage, Capacity, and Market Viability

 The proposed station's refueling service complements the coverage and capacity of the network of existing and planned hydrogen refueling stations in Table 1 and any other new stations proposed for funding by the Applicant under this solicitation.



# Safety Planning 40 total possible points

- The Applicant's Safety Plan is adequate and comprehensive.
- The Applicant commits to providing current, timely, and easily accessible information about the station to First Responders in the event of an emergency, including a publicly available station maintenance plan.



### **Safety Planning**

 The Applicant provides a realistic, timely, and comprehensive plan to assure safety training for the station's initial operation and safety retraining over time for all station operators.



### **The Safety Plan**

- Includes effective organizational safety policies and procedures.
- Includes hydrogen and fuel cell experience.
- Identifies operational safety vulnerabilities and appropriate risk reduction plans.
- Includes information about equipment and mechanical integrity of the planned station.
- Includes process flow diagrams or piping and instrumentation diagrams.



### **The Safety Plan**

- Includes safety and alarm systems.
- Includes an effective materials selection process to ensure hydrogen compatibility.
- Includes appropriate and timely maintenance, testing, calibration and inspection procedures.



# **Project Readiness 40 total possible points**

- Site control (including the station lease or access rights to install equipment and storage tanks) is secured.
- Project is consistent with existing zoning requirements.
- The proposed project schedule is realistic and aggressive and the station is expected to be operational expeditiously.



- Applicant has secured or initiated actions to secure required permits.
- Station has progressed in obtaining compliance under the California Environmental Quality Act (CEQA) per the requirements of this solicitation.



- Site plan shows setback requirements, which identify the mandatory separation distances of the station's components,
  - minimum distance in feet from a hydrogen system of indicated capacity to any specified exposure source pursuant to local, State, and Federal codes and standards (e.g., NFPA 2).



- Station component certification has been received from third-party testers.
- The proposed station is consistent with regional alternative vehicle readiness plans.
- Community outreach, including Fire Marshals, is planned and appropriate to ensure successful and timely station construction.



- The proposed station design has appropriately considered traffic approach, entrance, exit, and circulation within the station.
- The application addresses the time and cost required for utility connections.



# Station Operation and Maintenance 40 total possible points

- Station operator and station owner commits to operate and maintain the station beyond the term of the funding agreement.
- The maintenance plan is viable, appropriate, and comprehensive.



# Station Operation and Maintenance

 The operation and maintenance procedures are adequate to maximize station "up-time" and meet customer fill requests, including procedures to fix malfunctioning equipment and back-up fueling plans in the event of station outage.



- The backup plan to provide hydrogen to customers in case the refueling station goes offline or the hydrogen supply is depleted is adequate and reasonable.
- The plan and commitment to coordinate planned maintenance with adjacent stations on the network are adequate and reasonable.



# Station Operation and Maintenance

 Station reliability procedures will be implemented, monitored, and adjusted to keep the station operational and ready to provide fuel.



- Testing procedures are adequate to maintain hydrogen quality according to the Minimum Technical Requirements.
- Operation and maintenance procedures that adhere to the Applicant's Hydrogen Safety Plan.



- Posted signage at the hydrogen refueling station is appropriate and adequate to advise and educate the public on hydrogen refueling, provide instructions to the station user, and acknowledge the public funding received for the station.
- The Applicant has an effective and credible plan, and submits that plan with the application, for continuous customer service improvement.



- Data collection procedures are adequate to collect and report detailed and quantifiable data through the NREL Data Collection Tool.
- The monitoring plan for compliance with the standards identified in the Minimum Technical Requirements is adequate and continues throughout the operation of the station.



# Station Operation and Maintenance

 The Applicant has an effective and credible plan for becoming an open retail hydrogen refueling station for light duty vehicles no more than 180 days after becoming an operational hydrogen refueling station and to remain open for retail sales for a minimum of five years after becoming open retail.



## Project Budget 25 total possible points

- The budget represents a realistic understanding of planned costs to ensure successful project completion.
- The proposed project is likely to result in a high benefit-cost score (GHG reductions per public dollar provided to the project).



## **Project Budget**

- The budget and costs are reasonable, justified and suitable for the proposed project.
- The minimum Match Share requirements are exceeded.
- The project has co-product off-take agreements, which supports ongoing viability of the proposed station.



## Financial Plan 15 total possible points

- Applicant demonstrates economic viability of the proposed project.
- Applicant demonstrates the viability of the Applicant's firm as a going concern over the duration of the proposed project and beyond.



### **Financial Plan**

 Applicant demonstrates the ability to effectively manage and mitigate risks associated with construction, cost overruns, operation, maintenance, technology, regulations, and economic inflation.



## **Lunch Break**



# Hydrogen Refueling Station Performance 60 total possible points

- The proposed station exceeds the minimum daily fueling capacity required under this solicitation.
- The proposed station provides daily fueling capacity that is scalable and can be increased by at least 25% per day without additional State of California funding.



## Hydrogen Refueling Station Performance

- The proposed station exceeds the minimum peak fueling capacity required under this solicitation.
- The proposed station demonstrates maximum station reliability and refueling availability.
- The proposed station demonstrates maximum reliability in the Point of Sale system.



## Hydrogen Refueling Station Performance

- The proposed station has the ability to fill multiple vehicles with hydrogen simultaneously.
- The proposed station provides adequate lighting to assist station users.
- The proposed station maximizes the hours of operation while addressing local requirements.



## **Economic and Social Benefits 20 total possible points**

- The proposed project is likely to expand opportunities for California-based businesses.
- The proposed project is likely to create jobs.
- The proposed project is likely to result in economic benefits, including in disadvantaged communities within California.



## Innovation 20 total possible points

- Has innovations that improve the consumer refueling experience, increase station costeffectiveness, increase the effectiveness of the hydrogen refueling network, or others, which may include:
  - Unique or advanced features of the project or hydrogen refueling station technology.
  - Equipment that can be relocated and reused as demand increases.



### **Innovation**

- Space management of the station.
- Efficiencies in supply chain management.
- Plans to participate in U.S. Department of Energy (DOE), national, state, and local research and development projects (i.e., preapproved studies on in-line contaminant detectors, refueling protocols, and safety).



## Renewable Hydrogen Content 30 total possible points

 The station (or average of hydrogen dispensed across a collection of one grant recipient's stations funded under this solicitation) exceeds the required 33% renewable hydrogen content by use of either renewable energy certificates (RECs) or renewable hydrogen from direct sources.



## Renewable Hydrogen From Direct Sources 30 total possible points

 The station (or collection of one grant recipient's stations funded under this solicitation) has any direct renewable hydrogen sources, meeting or exceeding the 33% renewable requirement, from a project initiated specifically for the proposed station.



## Renewable Hydrogen From Direct Sources

 The station (or collection of one grant recipient's stations funded under this solicitation) uses direct renewable hydrogen resources, meeting or exceeding the 33% renewable requirement, from within California.



## Sustainability and Environmental 20 total possible points

- Uses recycled materials and repurposed equipment and materials.
- Minimizes water use through recycling, reclamation, or other means.
- Maximizes energy efficiency for system power.
- Preserves and enhances the use of natural resources in the State.



## Sustainability and Environmental


- Promotes superior environmental performance of alternative and renewable fuels.
- Uses alternative fuels for hydrogen delivery trucks.
- Uses curtailed electricity from California's electricity grid and provides a method to document this use.




## Minimum of 70% under these criteria to be eligible for funding

- Qualifications of the Applicant/Project Team
- Coverage, Capacity, and Market Viability
- Safety Planning
- Project Readiness
- Hydrogen Refueling Station Performance











### **Critical Milestones**

Miki Crowell



### **Critical Milestone 1**

- The Recipient must have held an in-person preapplication meeting, for permits to build and operate each proposed hydrogen refueling station, with the authority that has jurisdiction over the project and entitlement process.
- The meeting should include discussion of zoning requirements and aesthetics of the proposed refueling station. The Recipient must provide to the Energy Commission proof of having met this Critical Milestone by submitting notes from a pre-application meeting with a date, time, location, and list of meeting participants.



### **Critical Milestone 2**

 The Recipient must have control and possession of the site at which the hydrogen refueling station is to be constructed. The Recipient must provide to the Energy Commission proof of having met this Critical Milestone by submitting adequate documentation of site control.



## **Data Collection and Reporting**

Mark Johnson



## **Data Collection and Reporting**

- Recipients awarded Cap-X funds and O&M funds under GFO-15-605 are required to collect and submit station operation, maintenance, and performance data to the Energy Commission using NREL Data Collection Tool.
- The specific data collection requirements are contained in the agreement's Scope of Work.



## **Data Collection and Reporting**

- Recipients that only received CAP-X are required to submit:
  - A completed NREL Data Collection Tool with each invoice for one year, once the station becomes operational
  - A Final Report that includes 12 months of data collection.



## **Data Collection and Reporting**


 Stations receiving an O&M Support Grant shall collect and report data for 3 years after the station becomes operational.



This workbook conta	ains templa	ates for rep	orting dat	a from hyd	lrogen infrast	ructure.				
-Please fill out the	sheets with	h data that	pertain to	the specif	ic application					
-Data submission is	expected	each quar	er							
-If an item or sheet	t is not app	licable to t	he specific	operation	, leave blank,	or insert N/A.				
-For multiple comp	ressors, re	formers, e	tc, make a	n addition	al copy of the	sheet and labe	lit Compre	ssor2, etc.		
-The sheets that ha										
-You may delete or		0								
-This workbook con	-	_					ith a purple	color.		
Templates last upate	ed May 4, 2	2016 (NREL	1							
Original 12/2/2011 Revision thru 5/4/2016						nder GFO-15-605.				
	"Fill Perfe 5/4/2016 5/4/2016 "Maintena	ance Tab"	et for fill data report all fills in		te fills and failed atte	•				
Bevisions thru 4/5/2012	Fill Perfe 5/4/2016 5/4/2016 Maintena 5/4/2016 5/4/2016	ormance Tab* Added new she Added Note to ance Tab* Added new colo Added columns Added columns	et for fill data report all fills in mns with picklis for Subsytem, C for duration of	ts for consistend Component, Acti	y to replace the prev on, Cause and Effect	ious columns				
Revisions thru 4/5/2012	"Fill Perfe 5/4/2016 5/4/2016 "Mainten 5/4/2016 5/4/2016 Site Summar	Added new shee Added Note to acce Tab Added new columns Added columns by Changed examp Changed diagra	et for fill data report all fills in mns with picklis for Subsytem, C for duration of le diagram ms wording in re	ts for consistence Component, Acti- unavailability of ow 4 slightly	y to replace the prev on, Cause and Effect	ious columns				
Revisions thru 4/5/2012	"Fill Perfe 5/4/2016 5/4/2016 "Mainten 5/4/2016 5/4/2016 Site Summar	Added new she Added Note to Added Note to Added Note to Added Note to Added columns Added columns V Changed examp Changed diagra Added Electrol	et for fill data report all fills in mns with picklis for Subsytem, C for duration of le diagram ms wording in re user output pres	ts for consistence Component, Acti- unavailability of ow 4 slightly	y to replace the prev on, Cause and Effect	ious columns	s			
Revisions thru 4/5/2012	Fill Perfe 514/2016 514/2016	Added this shee	et for fill data report all fills in for Subsytem, C for duration of a le diagram wording in re seer output pres t	ts for consistent Component, Acti unavailability of ow 4 slightly sure	y to replace the prev on, Cause and Effect station components a	ious columns				
Revisions thru 4/5/2012	Fill Perf. 5/4/2016 5/4/2016 Mainten 5/4/2016 5/4/2016 Site Summar	Added this shee	et for fill data report all fills in mns with picklis for Subsytem, C for duration of the le diagram ms wording in re ser output pres t	ts for consistent Component, Acti unavailability of ow 4 slightly sure Communication	ry to replace the prev on, Cause and Effect station components a	ious columns	\$			
Revisions thru 4/5/2012	Fill Perf- 5/4/2016 5/4/2016 - Mainten 5/4/2016 5/4/2016 5/4/2016 Site Summar	ormance Tab* Added new she Added Note to asce Tab* Added New cole Added columns or Changed examp Changed diagra Added Electrol Added this she Changed hadded Added Amb Tel Added Column for the column fo	et for fill data report all fills in mns with picklis for Subsytem, C for duration of le diagram ms wording in re recouput pres t g slightly on Fill np, Pre-cool Ter	ts for consistent Component, Acti unavailability of ow 4 slightly sure Communication	ry to replace the prev on, Cause and Effect station components a	ious columns	\$			
Revisions thru 4/5/2012	Fill Perf- 5/4/2016 5/4/2016 Maintena 5/4/2016 S/4/2016 S/4/2016 S/4/2016 Site Summar Site Loq Fuel Loq Maintenance	ormance Tab* Added new she Added Note to asce Tab* Added New cole Added columns or Changed examp Changed diagra Added Electrol Added this she Changed hadded Added Amb Tel Added Column for the column fo	t for fill data report all fills in mas with picklis for Subsytem, C for duration of le diagram mas wording in rezer output pres t g slightly on Fill pp, Pre-cool Ter or #	ts for consistent Component, Acti unavailability of ow 4 slightly sure Communication	ry to replace the prev on, Cause and Effect station components a	ious columns				
Revisions thru 4/5/2012	Fill Perf- 5/4/2016 5/4/2016 Maintens 5/4/2016 5/4/2016 5/4/2016 Site Summar Site Loq Fuel Loq Maintenance Safety	ormance Tab* Added new colo Added new colo Added columns V Changed examp Changed diagra Added this shee Changed headin Added columns Added columns Added column Added this shee Changed headin Added Amb Te Added column I Added column I Added Non-Ew	t for fill data report all fills in mns with picklis for Subsytem, C for duration of the diagram ms wording in reser output prest the diagram of the diagram	ts for consistent Component, Acti unavailability of w 4 slightly sure Communication mp, Fill Descripti	ry to replace the prev on, Cause and Effect station components a	ious columns	s			
Revisions thru 4/5/2012	Fill Perfi 5/14/2016 5/14/2016 5/14/2016 5/14/2016 5/14/2016 Site Summar Site Loq Fuel Loq Maintenance Safety Electrolyser	ormance Tab' Added new she Added Note to asce Tab' Added new color Added columns v Changed examp Changed examp Changed diagray Added columns Added columns Added columns Added this shee Changed headin Added Amb Te Added column f Added column f Added column f	t for fill data report all fills in mms with picklis for Subsystem, C for duration of te e disgram ms wording in re- sear output pres t t glightly on Fill mp, Pre-cool Tel or # or # or #	ts for consistent Component, Acti unavailability of w 4 slightly sure Communication mp, Fill Descripti	ry to replace the prev on, Cause and Effect station components a	ious columns	4			
Revisions thru 4/5/2012	Fill Perfi 5/14/2016 5/14/2016 5/14/2016 5/14/2016 5/14/2016 Site Summar Site Loq Fuel Loq Maintenance Safety Electrolyser	ormance Tab Added new she Added Note to Added Note to Added Note to Added columns V Changed examp Changed disgra Added Electrol Added Amb Te Added Column I Added Column I Added Non-Ew Added Column I Added Non-Ew Added Column I	t for fill data report all fills in mms with picklis for Subsystem, C for duration of te e disgram ms wording in re- sear output pres t t glightly on Fill mp, Pre-cool Tel or # or # or #	ts for consistent Component, Acti unavailability of w 4 slightly sure Communication mp, Fill Descripti	ry to replace the prev on, Cause and Effect station components a	ious columns				
Revisions thru 4/5/2012	Fill Perfi 5/14/2016 5/14/2016 5/14/2016 5/14/2016 5/14/2016 Site Summar Site Loq Fuel Loq Maintenance Safety Electrolyser	ormance Tab' Added new she Added Note to asce Tab' Added new color Added columns v Changed examp Changed examp Changed diagray Added columns Added columns Added columns Added this shee Changed headin Added Amb Te Added column f Added column f Added column f	t for fill data report all fills in mms with picklis for Subsystem, C for duration of te e disgram ms wording in re- sear output pres t t glightly on Fill mp, Pre-cool Tel or # or # or #	ts for consistent Component, Acti unavailability of w 4 slightly sure Communication mp, Fill Descripti	ry to replace the prev on, Cause and Effect station components a	ious columns				
Revisions thru 4/5/2012	Fill Perfi 5/14/2016 5/14/2016 5/14/2016 5/14/2016 5/14/2016 Site Summar Site Loq Fuel Loq Maintenance Safety Electrolyser	ormance Tab' Added new she Added Note to asce Tab' Added new color Added columns v Changed examp Changed examp Changed diagray Added columns Added columns Added columns Added this shee Changed headin Added Amb Te Added column f Added column f Added column f	t for fill data report all fills in mms with picklis for Subsystem, C for duration of te e disgram ms wording in re- sear output pres t t glightly on Fill mp, Pre-cool Tel or # or # or #	ts for consistent Component, Acti unavailability of w 4 slightly sure Communication mp, Fill Descripti	ry to replace the prev on, Cause and Effect station components a	ious columns				
Revisions thru 4/5/2012	Fill Perfi 5/14/2016 5/14/2016 5/14/2016 5/14/2016 5/14/2016 Site Summar Site Loq Fuel Loq Maintenance Safety Electrolyser	ormance Tab' Added new she Added Note to asce Tab' Added new color Added columns v Changed examp Changed examp Changed diagray Added columns Added columns Added columns Added this shee Changed headin Added Amb Te Added column f Added column f Added column f	t for fill data report all fills in mms with picklis for Subsystem, C for duration of te e disgram ms wording in re- sear output pres t t glightly on Fill mp, Pre-cool Tel or # or # or #	ts for consistent Component, Acti unavailability of w 4 slightly sure Communication mp, Fill Descripti	ry to replace the prev on, Cause and Effect station components a	ious columns				

http://www.energy.ca.gov/contracts/GFO-15-605/Attachment-11\_NREL\_Data\_Collection\_Tool\_2016-06-02.xlsx

## Weekly Hydrogen dispensing by County





## **Data Collection and Reporting**

- Renewable Hydrogen Dispensed
  - Required every 6 months
  - http://www.energy.ca.gov/contracts/GFO-15-605/Attachment-12 Report of Renewable Hydrogen Dispensed. docx



# Pre-Application Abstract and Application Format (New Concept)

Jean Baronas

http://www.energy.ca.gov/contracts/GFO-15-606/01\_Attach-01A\_Pre-Application\_Abstract\_Form.doc



### **Additional Information**

### Workshops, Notices, and Documents for Hydrogen Refueling Station Workshops

http://www.energy.ca.gov/altfuels/

2017-HYD-02/documents/

#### **Alternative Fuels Email listsery**

http://energy.ca.gov/altfuels/2017-HYD-02/



### **Public Discussion**

**Esther Odufuwa** 



### **Contact Information**

Please send questions and comments by December 22, 2017 at 5 P.M. to:

California Energy Commission Docket Office, MS-4 Re: Docket No. 17-HYD-02

1516 Ninth Street

Sacramento, CA 95814

E-mail: DOCKET@energy.ca.gov